



BLIND
SPECIALISTS, LLC

PRODUCT CATALOG





BLIND

SPECIALISTS, LLC




Blind Specialist is a manufacturing facility for paddle blinds and blind flanges. With our full service machine shop we have the capabilities to cut and machine any size, class or material grade. With Our inventory of over 70,000 rental blinds located in a 15,000 square foot warehouse range from 1/2" to 60" from 150# to 2500#. Our blinds are color coded and stamped for easy identification and come available on a lockable rack or with lifting lugs for safe and easy installation and transport.

In-stock orders are available for same day shipping local or nationwide.

Our goal is to create life-long customers through quality and service.



- ☐ Rental & Sales.
- ☐ Hydro paddle blinds.
- ☐ Isolation paddle blinds.
- ☐ Vented paddle blinds.
- ☐ RF and RTJ blind flanges.
- ☐ Spectacle blinds (figure 8's).
- ☐ 6' x 10' Water jet table.
- ☐ 8' x 20' Oxygen / acetylene cutting table.
- ☐ 8' x 20' Plasma cutting table.
- ☐ 72" King & 46" Bullard vertical boring mill.
- ☐ Horizontal lathes, milling machines / drill press.
- ☐ Haas ST-30 CNC lathe.
- ☐ Flange & Valve resurfacing.
- ☐ Up to 4" thick C/S plate in stock.
- ☐ Custom machining & fabrication.



Contact: **Dillon Ford**
Cell: 409-718-6817
Toll free (24/7/365): (844) 729-2994
6301 N Twin City Hwy – Port Arthur, TX 77642
E-mail: dillon.ford@blindspecialist.net
blind.sales@blindspecialist.net
www.blindspecialist.net

Blue	150#
Green	300#
Orange	600#
Red	900#
Yellow	1500#
White	2500#




(409)729-2994
www.blindspecialist.net



TABLE OF CONTENTS

150# Paddle Blind	1-2
300# Paddle Blind	3-4
400# Paddle Blind	5-6
600# Paddle Blind	7-8
900# Paddle Blind	9-10
1500# Paddle Blind	11
2500# Paddle Blind	12
150# Blind Flange	13-14
300# Blind Flange	15-16
400# Blind Flange	17-18
600# Blind Flange	19-20
900# Blind Flange	21-22
1500# Blind Flange	23
2500# Blind Flange	24

PADDLE BLINDS



BLIND FLANGES



SPECTACLE BLINDS



RTJ SPECTACLE BLINDS



*Information in this catalog has been compiled from industry sources that Blind Specialist believes to be reliable. Blind Specialist however does not guarantee the accuracy of this data.

150# Spectacle Blind	25
----------------------	----

300# Spectacle Blind	26
----------------------	----

600# Spectacle Blind	27
----------------------	----

900# Spectacle Blind	28
----------------------	----

1500# Spectacle Blind	29
-----------------------	----

2500# Spectacle Blind	30
-----------------------	----

150# RTJ Spectacle Blind	31
--------------------------	----

300# RTJ Spectacle Blind	32
--------------------------	----

600# RTJ Spectacle Blind	33
--------------------------	----

900# RTJ Spectacle Blind	34
--------------------------	----

1500# RTJ Spectacle Blind	35
---------------------------	----

2500# RTJ Spectacle Blind	36
---------------------------	----

150#
PADDLE
BLIND


CLASS 150#

PADDLE BLIND

	OD	THK	WEIGHT
1/2	1-3/4	1/4	1
3/4	2-1/8	1/4	2
1	2-1/2	1/4	2
1-1/4	2-7/8	1/4	2
1-1/2	3-1/4	1/4	2
2	4	1/4	2
2-1/2	4-3/4	1/4	3
3	5-1/4	1/4	3
3-1/2	6-1/4	3/8	5
4	6-3/4	3/8	6
5	7-5/8	3/8	7
6	8-5/8	1/2	11
8	10-7/8	1/2	16
10	13-1/4	5/8	22
12	16	3/4	47
14	17-5/8	3/4	56
16	20-1/8	7/8	95
18	21-1/2	1	108
20	23-3/4	1-1/8	164
22	25-7/8	1-1/4	193
24	28-1/8	1-1/4	227

CLASS 150#	PADDLE BLIND SERIES A		
	OD	THK	WEIGHT
26	30-3/8	1-3/8	290
28	32-5/8	1-1/2	363
30	34-5/8	1-5/8	442
32	36-7/8	1-3/4	539
34	38-7/8	1-7/8	641
36	41-1/8	1-7/8	716
38	43-5/8	2	858
40	45-5/8	2-1/8	996
42	47-7/8	2-1/8	1096
44	50-1/8	2-1/4	1271
46	52-1/8	2-3/8	1450
48	54-3/8	2-1/2	1660
50	56-3/8	2-3/4	1961
52	58-5/8	3	2312
54	60-7/8	3	2492
56	63-1/8	3-1/4	2902
58	65-3/8	3-1/4	3111
60	67-3/8	3-1/2	3557

CLASS 150#	PADDLE BLIND SERIES B		
	OD	THK	WEIGHT
26	28-7/16	1-3/8	254
28	30-7/16	1-1/2	316
30	32-7/16	1-5/8	388
32	34-9/16	1-3/4	473
34	36-11/16	1-7/8	570
36	38-3/4	1-7/8	637
38	41	2	759
40	43	2-1/8	886
42	45	2-1/8	970
44	47	2-1/4	1119
46	49-5/16	2-3/8	1296
48	51-5/16	2-1/2	1476
50	53-5/16	2-3/4	1751
52	55-5/16	3	2056
54	57-1/2	3	2225
56	59-1/2	3-1/4	2580
58	62-1/16	3-1/4	2800
60	64-1/16	3-1/2	3193

300#
PADDLE
BLIND


CLASS 300#

PADDLE BLIND

	OD	THK	WEIGHT
1/2	2	1/4	1
3/4	2-1/2	1/4	2
1	2-3/4	1/4	2
1-1/4	3-1/8	1/4	2
1-1/2	3-5/8	1/4	2
2	4-1/4	3/8	3
2-1/2	5	3/8	4
3	5-3/4	3/8	5
3-1/2	6-3/8	1/2	7
4	7	1/2	8
5	8-3/8	5/8	13
6	9-3/4	5/8	16
8	12	7/8	37
10	14-1/8	1	50
12	16-1/2	1-1/8	82
14	19	1-1/4	107
16	21-1/8	1-1/2	157
18	23-3/8	1-5/8	222
20	25-5/8	1-3/4	265
22	27-5/8	2	350
24	30-3/8	2	422

CLASS 300#	PADDLE BLIND SERIES A		
	OD	THK	WEIGHT
26	32-3/4	2-1/8	519
28	35-1/4	2-1/4	635
30	37-3/8	2-1/2	791
32	39-1/2	2-5/8	926
34	41-1/2	2-3/4	1069
36	43-7/8	2-7/8	1248
38	41-3/8	3-1/8	1208
40	43-3/4	3-1/4	1403
42	45-3/4	3-3/8	1591
44	47-7/8	3-1/2	1805
46	50	3-5/8	2038
48	52	3-7/8	2354
50	54-1/8	4	2182
52	56-1/8	4	2361
54	58-5/8	4-1/4	2745
56	60-5/8	4-1/2	3708
58	62-5/8	4-1/2	3955
60	64-5/8	4-3/4	4444

CLASS 300#	PADDLE BLIND SERIES B		
	OD	THK	WEIGHT
26	30-1/4	2-1/8	444
28	32-3/8	2-1/4	537
30	34-3/4	2-1/2	686
32	36-7/8	2-5/8	809
34	39	2-3/4	946
36	41-1/8	2-7/8	1098
38	43-1/8	3-1/8	1311
40	45-1/8	3-1/4	1491
42	47-1/8	3-3/8	1687
44	49-1/8	3-1/2	1900
46	51-3/4	3-5/8	2181
48	53-3/4	3-7/8	2514
50	55-3/4	4	2790
52	57-3/4	4	2992
54	60-1/8	4-1/4	3444
56	62-5/8	4-1/2	3955
58	65-1/16	4-1/2	4259
60	67-1/16	4-3/4	4774

300# PADDLE BLIND

**400#
PADDLE
BLIND**


CLASS 400#	OD	PADDLE BLIND THK	WEIGHT
1/2	2	1/4	1
3/4	2-1/2	1/4	2
1	2-3/4	1/4	2
1-1/4	3-1/8	1/4	2
1-1/2	3-5/8	3/8	3
2	4-1/4	3/8	3
2-1/2	5	1/2	5
3	5-3/4	1/2	6
3-1/2	6-1/4	5/8	9
4	6-7/8	5/8	11
5	8-1/4	3/4	19
6	9-5/8	7/8	29
8	11-7/8	1-1/8	50
10	14	1-3/8	89
12	16-3/8	1-5/8	134
14	18-7/8	1-3/4	154
16	21	2	229
18	23-1/4	2-1/8	300
20	25-3/8	2-1/2	412
22	27-1/2	2-7/8	520
24	30-1/8	2-7/8	658

CLASS 400#	PADDLE BLIND SERIES A		
	OD	THK	WEIGHT
26	32-5/8	3-1/8	752
28	35	3-3/8	932
30	37-1/8	3-5/8	1132
32	39-3/8	3-3/4	1315
34	41-3/8	4-1/8	1595
36	43-7/8	4-1/4	1845
38	42-1/8	4-1/2	1802
40	44-1/4	4-3/4	2097
42	46-1/4	5	2409
44	48-3/8	5-1/4	2765
46	50-5/8	5-1/2	3170
48	52-7/8	5-3/4	3610
50	55-1/8	6	4092
52	57-1/8	6-1/4	4575
54	59-5/8	6-1/2	5182
56	61-5/8	6-3/4	5746
58	63-5/8	7	6350
60	66-1/8	7-1/4	7098

CLASS 400#	PADDLE BLIND SERIES B		
	OD	THK	WEIGHT
26	29-1/4	3-1/8	612
28	31-3/8	3-3/8	758
30	33-5/8	3-5/8	932
32	35-3/4	3-3/4	1087
34	37-3/4	4-1/8	1331
36	40-1/8	4-1/4	1546
38	42-1/8	4-1/2	1802
40	44-1/4	4-3/4	2097
42	46-1/4	5	2409
44	48-3/8	5-1/4	2765
46	50-5/8	5-1/2	3169
48	52-7/8	5-3/4	3610
50	55-1/8	6	4092
52	57-1/8	6-1/4	4575
54	59-5/8	6-1/2	5182
56	61-5/8	6-3/4	5746
58	63-5/8	7	6350
60	66-1/8	7-1/4	7098



CLASS 600#		PADDLE BLIND	
	OD	THK	WEIGHT
1/2	2	1/4	1
3/4	2-1/2	1/4	2
1	2-3/4	1/4	2
1-1/4	3-1/8	3/8	2
1-1/2	3-5/8	3/8	3
2	4-1/4	3/8	3
2-1/2	5	1/2	5
3	5-3/4	1/2	6
3-1/2	6-1/4	5/8	9
4	7-1/2	5/8	11
5	9-3/8	3/4	19
6	10-3/8	7/8	29
8	12-1/2	1-1/8	50
10	15-5/8	1-3/8	89
12	17-7/8	1-5/8	134
14	19-1/4	1-3/4	154
16	22-1/8	2	228
18	24	2-1/8	300
20	26-3/4	2-1/2	412
22	28-7/8	2-7/8	521
24	31	2-7/8	658

CLASS 600#	PADDLE BLIND SERIES A		
	OD	THK	WEIGHT
26	34	3-1/8	821
28	35-7/8	3-3/8	986
30	38-1/8	3-5/8	1193
32	40-1/8	3-3/4	1365
34	42-1/8	4-1/8	1652
36	44-3/8	4-1/4	1803
38	43-3/8	4-1/2	1997
40	45-3/8	4-3/4	2203
42	47-7/8	5	2579
44	49-7/8	5-1/4	2936
46	52-1/8	5-1/2	3326
48	54-5/8	5-3/4	3852
50	56-7/8	6	4355
52	58-7/8	6-1/4	4858
54	61-1/8	6-1/2	5444
56	63-3/8	6-3/4	6074
58	65-3/8	7	6701
60	68-1/8	7-1/4	7533

CLASS 600#	PADDLE BLIND SERIES B		
	OD	THK	WEIGHT
26	30	3-1/8	643
28	32-1/8	3-3/8	794
30	34-1/2	3-5/8	980
32	36-5/8	3-3/4	1140
34	39-1/8	4-1/8	1428
36	41-1/8	4-1/4	1623
38	43-3/8	4-1/2	1997
40	45-3/8	4-3/4	2203
42	47-7/8	5	2579
44	49-7/8	5-1/4	2936
46	52-1/8	5-1/2	3326
48	54-5/8	5-3/4	3852
50	56-7/8	6	4355
52	58-7/8	6-1/4	4858
54	61-1/8	6-1/2	5444
56	63-3/8	6-3/4	6074
58	65-3/8	7	6701
60	68-1/8	7-1/4	7533




CLASS 900#		PADDLE BLIND	
	OD	THK	WEIGHT
1/2	2-3/8	1/4	2
3/4	2-5/8	1/4	2
1	3	1/4	2
1-1/4	3-3/8	3/8	3
1-1/2	3-3/4	3/8	3
2	5-1/2	1/2	6
2-1/2	6-3/8	1/2	7
3	6-1/2	5/8	9
4	8	3/4	15
5	9-5/8	7/8	26
6	11-1/4	1	33
8	14	1-3/8	73
10	17	1-5/8	122
12	19-1/2	1-7/8	178
14	20-3/8	2-1/8	217
16	22-1/2	2-3/8	292
18	25	2-5/8	393
20	27-3/8	2-7/8	517
24	32-7/8	3-1/2	860


CLASS 900#	PADDLE BLIND SERIES A		
	OD	THK	WEIGHT
26	34-5/8	3-3/4	1021
28	37-1/8	4-1/8	1288
30	39-5/8	4-3/8	1553
32	42-1/8	4-3/4	1902
34	44-5/8	5	2244
36	47-1/8	5-1/4	2625
38	47-1/8	5-1/2	2866
40	49-1/8	5-7/8	3189
42	51-1/8	6-1/8	3598
44	53-3/4	6-3/8	4136
46	56-3/8	6-3/4	4814
48	58-3/8	7	5350

CLASS 900#	PADDLE BLIND SERIES B		
	OD	THK	WEIGHT
26	32-7/8	3-3/4	922
28	35-3/8	4-1/8	1171
30	37-5/8	4-3/8	1403
32	39-7/8	4-3/4	1707
34	42-1/8	5	2003
36	44-1/8	5-1/4	2304
38	47-1/8	5-1/2	2866
40	49-1/8	5-7/8	3189
42	51-1/8	6-1/8	3598
44	53-3/4	6-3/8	4136
46	56-3/8	6-3/4	4814
48	58-3/8	7	5350

900# PADDLE BLIND

1500#
PADDLE
BLIND


CLASS 1500#		PADDLE BLIND	
	OD	THK	WEIGHT
1/2	2-3/8	1/4	2
3/4	2-5/8	3/8	3
1	3	3/8	3
1-1/4	3-3/8	3/8	3
1-1/2	3-3/4	1/2	4
2	5-1/2	1/2	6
2-1/2	6-3/8	5/8	9
3	6-3/4	3/4	12
4	8-1/8	7/8	20
5	9-7/8	1-1/8	34
6	11	1-3/8	48
8	13-3/4	1-5/8	83
10	17	2	139
12	20-3/8	2-3/8	244
14	22-5/8	2-5/8	328
16	25-1/8	3	438
18	27-5/8	3-3/8	613
20	29-5/8	3-3/4	753
24	35-3/8	4-3/8	1278



CLASS 2500#		PADDLE BLIND	
	OD	THK	WEIGHT
1/2	2-5/8	3/8	3
3/4	2-7/8	3/8	3
1	3-1/4	3/8	3
1-1/4	4	1/2	4
1-1/2	4-1/2	5/8	6
2	5-5/8	5/8	8
2-1/2	6-1/2	3/4	11
3	7-5/8	7/8	18
4	9-1/8	1-1/8	30
5	10-7/8	1-3/8	47
6	12-3/8	1-5/8	69
8	15-1/8	2-1/8	176
10	18-5/8	2-5/8	206
12	21-1/2	3-1/8	352

2500#
PADDLE
BLIND

150 #
BLIND
FLANGE


CLASS		BLIND FLANGE					
150#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
1/2	3-1/2	3/8	2-3/8	4	5/8	1-3/8	2
3/4	3-7/8	7/16	2-3/4	4	5/8	1-11/16	2
1	4-1/4	1/2	3-1/8	4	5/8	2	2
1-1/4	4-5/8	9/16	3-1/2	4	5/8	2-1/2	3
1-1/2	5	5/8	3-7/8	4	5/8	2-7/8	4
2	6	11/16	4-3/4	4	3/4	3-5/8	5
2-1/2	7	13/16	5-1/2	4	3/4	4-1/8	7
3	7-1/2	7/8	6	4	3/4	5	9
3-1/2	8-1/2	7/8	7	8	3/4	5-1/2	13
4	9	7/8	7-1/2	8	3/4	6-3/16	17
5	10	7/8	8-1/2	8	7/8	7-5/16	20
6	11	15/16	9-1/2	8	7/8	8-1/2	27
8	13-1/2	1-1/16	11-3/4	8	7/8	10-5/8	47
10	16	1-1/8	14-1/4	12	1	12-3/4	70
12	19	1-3/16	17	12	1	15	123
14	21	1-5/16	18-3/4	12	1-1/8	16-1/4	140
16	23-1/2	1-3/8	21-1/4	16	1-1/8	18-1/2	180
18	25	1-1/2	22-3/4	16	1-1/4	21	220
20	27-1/2	1-5/8	25	20	1-1/4	23	285
22	29-1/2	1-3/4	27-1/4	20	1-3/8	25-1/4	355
24	32	1-13/16	29-1/2	20	1-3/8	27-1/4	430

*Thickness does not include 1/16" RF.

CLASS	BLIND FLANGE series A						
150#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	34-1/4	2-5/8	31-3/4	24	1-3/8	29-1/2	702
28	36-1/2	2-3/4	34	28	1-3/8	31-1/2	833
30	38-3/4	2-7/8	36	28	1-3/8	33-3/4	982
32	41-3/4	3-1/8	38-1/2	28	1-5/8	36	1237
34	43-3/4	3-3/16	40-1/2	32	1-5/8	38	1384
36	46	3-1/2	42-3/4	32	1-5/8	40-1/4	1676
38	48-3/4	3-3/8	45-1/4	32	1-5/8	42-1/4	1819
40	50-3/4	3-1/2	47-1/4	36	1-5/8	44-1/4	2040
42	53	3-3/4	49-1/2	36	1-5/8	47	2381
44	55-1/4	3-15/16	51-3/4	40	1-5/8	49	2717
46	57-1/4	4	53-3/4	40	1-5/8	51	2961
48	59-1/2	4-3/16	56	44	1-5/8	53-1/2	3348
50	61-3/4	4-5/16	58-1/4	44	1-7/8	55-1/2	3716
52	64	4-1/2	60 1/2	44	1-7/8	57-1/2	4156
54	66-1/4	4-11/16	62-3/4	44	1-7/8	59-1/2	4639
56	68-3/4	4-13/16	65	48	1-7/8	62	5132
58	71	5	67 1/4	48	1-7/8	64	5675
60	73	5-1/8	69-1/4	52	1-7/8	66	6154

CLASS	BLIND FLANGE series B						
150#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	30-15/16	1-11/16	29-5/16	36	7/8	28	373
28	32-15/16	1-13/16	31-5/16	40	7/8	30	454
30	34-15/16	1-15/16	33-5/16	44	7/8	32	543
32	37-1/16	2-1/16	35-7/16	48	7/8	34	648
34	39-9/16	2-3/16	37-11/16	40	1	36-1/4	783
36	41-5/8	2-1/4	39-3/4	44	1	38-1/4	890
38	44-1/4	2-7/16	42-1/8	40	1-1/8	40-1/4	1089
40	46-1/4	2-9/16	44-1/8	44	1-1/8	42-1/2	1247
42	48-1/4	2-5/8	46-1/8	48	1-1/8	44-1/2	1393
44	50-1/4	2-3/4	48-1/8	52	1-1/8	46-1/2	1579
46	52-13/16	2-7/8	50-9/16	40	1-1/4	48-5/8	1824
48	54-13/16	3	52-9/16	44	1-1/4	50-3/4	2045
50	56-13/16	3-1/8	54-9/16	48	1-1/4	52-3/4	2284
52	58-13/16	3-1/4	56-9/16	52	1-1/4	54-3/4	2547
54	61	3-3/8	58-3/4	56	1-1/4	56-3/4	2048
56	63	3-1/2	60-3/4	60	1-1/4	58-3/4	3144
58	65-15/16	3-5/8	63-7/16	48	1-3/8	60-3/4	3560
60	67-15/16	3-3/4	65-7/16	52	1-3/8	63	3913

*Thickness does not include 1/16" RF.

150#
BLIND
FLANGE



CLASS		BLIND FLANGE					
300#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
1/2	3-3/4	1/2	2-5/8	4	5/8	1-3/8	2
3/4	4-5/8	9/16	3-1/4	4	3/4	1-11/16	3
1	4-7/8	5/8	3-1/2	4	3/4	2	4
1-1/4	5-1/4	11/16	3-7/8	4	3/4	2-1/2	6
1-1/2	6-1/8	3/4	4-1/2	4	7/8	2-7/8	7
2	6-1/2	13/16	5	8	3/4	3-5/8	8
2-1/2	7-1/2	15/16	5-7/8	8	7/8	4-1/8	12
3	8-1/4	1-1/16	6-5/8	8	7/8	5	16
3-1/2	9	1-1/8	7-1/4	8	7/8	5-1/2	21
4	10	1-3/16	7-7/8	8	7/8	6-3/16	28
5	11	1-5/16	9-1/4	8	7/8	7-5/16	37
6	12-1/2	1-3/8	10-5/8	12	7/8	8-1/2	50
8	15	1-9/16	13	12	1	10-5/8	81
10	17-1/2	1-13/16	15-1/4	16	1-1/8	12-3/4	124
12	20-1/2	1-15/16	17-3/4	16	1-1/4	15	185
14	23	2-1/16	20-1/4	20	1-1/4	16-1/4	250
16	25-1/2	2-3/16	22-1/2	20	1-3/8	18-1/2	315
18	28	2-5/16	24-3/4	24	1-3/8	21	414
20	30-1/2	2-7/16	27	24	1-3/8	23	515
22	33	2-9/16	29-1/4	24	1-5/8	25-1/4	640
24	36	2-11/16	32	24	1-5/8	27-1/4	800

*Thickness does not include 1/16" RF.

CLASS	BLIND FLANGE series A						
300#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	38-1/4	3-1/4	34-1/2	28	1-3/4	29-1/2	1078
28	40-3/4	3-1/2	37	28	1-3/4	31-1/2	1315
30	43	3-11/16	39-1/4	28	1-7/8	33-3/4	1543
32	45-1/4	3-7/8	41-1/2	28	2	36	1795
34	47-1/2	4-1/16	43-1/2	28	2	38	2068
36	50	4-5/16	46	32	2-1/8	40-1/4	2436
38	46	4-3/16	43	32	1-5/8	40-1/2	2001
40	48-3/4	4-7/16	45-1/2	32	1-3/4	42-3/4	2380
42	50-3/4	4-5/8	47-1/2	32	1-3/4	44-3/4	2688
44	53-1/4	4-13/16	49-3/4	32	1-7/8	47	3079
46	55-3/4	5	52	28	2	49	3499
48	57-3/4	5-3/16	54	32	2	51-1/4	3896
50	60-1/4	5-7/16	56-1/4	32	2-1/8	53-1/2	4442
52	62-1/4	5-5/8	58-1/4	32	2-1/8	55-1/2	4906
54	65-1/4	5-15/16	61	28	2-3/8	57-3/4	5684
56	67-1/4	6	63	28	2-3/8	59-3/4	6098
58	69-1/4	6-3/16	65	32	2-3/8	62	6669
60	71-1/4	6-3/8	67	32	2-3/8	64	7274

CLASS	BLIND FLANGE series B						
300#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	34-1/8	3-7/16	31-5/8	32	1-3/8	29	907
28	36-1/4	3-7/16	33-3/4	36	1-3/8	31	1023
30	39	3-5/8	36-1/4	36	1-1/2	33-1/4	1249
32	41-1/2	4	38-1/2	32	1-5/8	35-1/2	1556
34	43-5/8	4	40-5/8	36	1-5/8	37-1/2	1719
36	46-1/8	4	42-7/8	32	1-3/4	39-3/4	1921
38	48-1/8	4-5/16	44-7/8	36	1-3/4	41-3/4	2257
40	50-1/8	4-1/2	46-7/8	40	1-3/4	43-7/8	2549
42	52-1/2	4-5/8	49	36	1-7/8	46	2876
44	54-1/2	4-15/16	51	40	1-7/8	48	3304
46	57-1/2	5-1/16	53-3/4	36	2	50	3766
48	59-1/2	5-1/4	55-3/4	40	2	52-1/4	4183
50	61-1/2	5-7/16	57-3/4	44	2	54-1/4	4629
52	63-1/2	5-5/8	59-3/4	48	2	56-1/4	5096
54	65-7/8	5-13/16	62-1/8	48	2	58-1/4	5678
56	69-1/2	6-1/8	65	36	2-3/8	60-1/2	6642
58	71-15/16	6-5/16	67-7/16	40	2-3/8	62-3/4	7347
60	73-15/16	6-1/2	69-7/16	40	2-3/8	65	7980

*Thickness does not include 1/16" RF.

300# BLIND FLANGE

**400#
BLIND
FLANGE**


CLASS		BLIND FLANGE					
400#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
1/2	3-3/4	9/16	2-5/8	4	5/8	1-3/8	2
3/4	4-5/8	5/8	3 1/4	4	3/4	1-11/16	3
1	4-7/8	11/16	3-1/2	4	3/4	2	4
1-1/4	5-1/4	13/16	3-7/8	4	3/4	2-1/2	6
1-1/2	6-1/8	7/8	4-1/2	4	7/8	2-7/8	8
2	6-1/2	1	5	8	3/4	3-5/8	10
2-1/2	7-1/2	1-1/8	5-7/8	8	7/8	4-1/8	15
3	8-1/4	1-1/4	6-5/8	8	7/8	5	20
3-1/2	9	1-3/8	7-1/4	8	1	5-1/2	29
4	10	1-3/8	7-7/8	8	1	6-3/16	33
5	11	1-1/2	9-1/4	8	1	7-5/16	44
6	12-1/2	1-5/8	10-5/8	12	1	8-1/2	61
8	15	1-7/8	13	12	1-1/8	10-5/8	100
10	17-1/2	2-1/8	15-1/4	16	1-1/4	12-3/4	155
12	20-1/2	2-1/4	17-3/4	16	1-3/8	15	226
14	23	2-3/8	20-1/4	20	1-3/8	16-1/4	310
16	25-1/2	2-1/2	22-1/2	20	1-1/2	18-1/2	398
18	28	2-5/8	24-3/4	24	1-1/2	21	502
20	30-1/2	2-3/4	27	24	1-5/8	23	621
22	33	2-7/8	29-1/4	24	1-3/4	25-1/4	720
24	36	3	32	24	1-7/8	27-1/4	936

*Thickness does not include 1/4" RF.

CLASS	BLIND FLANGE series A						
400#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	38-1/4	3-7/8	34-1/2	28	1-7/8	29-1/2	1263
28	40-3/4	4-1/8	37	28	2	31-1/2	1522
30	43	4-3/8	39-1/4	28	2-1/8	33-3/4	1802
32	45-1/4	4-9/16	41-1/2	28	2-1/8	36	2077
34	47-1/2	4-13/16	43-1/2	28	2-1/8	38	2415
36	50	5-1/16	46	32	2-1/8	40-1/4	2815
38	47-1/2	4-7/8	44	32	1-7/8	40-3/4	2450
40	50	5-1/8	46-1/4	32	2	43	2848
42	52	5-1/4	48-1/4	32	2	45	3159
44	54-1/2	5-1/2	50-1/2	32	2-1/8	47-1/4	3635
46	56-3/4	5-3/4	52-3/4	36	2-1/8	49-1/2	4120
48	59-1/2	6	55-1/4	28	2-3/8	51-1/2	4726
50	61-3/4	6-1/4	57-1/2	32	2-3/8	53-5/8	5303
52	63-3/4	6-7/16	59-1/2	32	2-3/8	55-5/8	5823
54	67	6-3/4	62-1/4	28	2-5/8	57-7/8	6742
56	69	6-15/16	64-1/4	32	2-5/8	60-1/8	7352
58	71	7-1/8	66-1/4	32	2-5/8	62-1/8	7986
60	74-1/4	7-7/16	69	32	2-7/8	64-3/8	9126

CLASS	BLIND FLANGE series B						
400#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	33-1/2	3-1/2	30-3/4	28	1-1/2	28	874
28	36	3-3/4	33	24	1-5/8	30	1081
30	38-1/4	4	35-1/4	28	1-5/8	32-1/4	1302
32	40-3/4	4-1/4	37-1/2	28	1-3/4	34-3/8	1570
34	42-3/4	4-3/8	39-1/2	32	1-3/4	36-1/2	1781
36	45-1/2	4-11/16	42	28	1-7/8	38-5/8	2160
38	47-1/2	4-7/8	44	32	1-7/8	40-3/4	2450
40	50	5-1/8	46-1/4	32	2	43	2848
42	52	5-1/4	48-1/4	32	2	45	3159
44	54-1/2	5-1/2	50-1/2	32	2-1/8	47-1/4	3635
46	56-3/4	5-3/4	52-3/4	36	2-1/8	49-1/2	4120
48	59-1/2	6	55-1/4	28	2-3/8	51-1/2	4726
50	61-3/4	6-1/4	57-1/2	32	2-3/8	53-5/8	5303
52	63-3/4	6-7/16	59-1/2	32	2-3/8	55-5/8	5823
54	67	6-3/4	62-1/4	28	2-5/8	57-7/8	6742
56	69	6-15/16	64-1/4	32	2-5/8	60-1/8	7352
58	71	7-1/8	66-1/4	32	2-5/8	62-1/8	7986
60	74-1/4	7-7/16	69	32	2-7/8	64-3/8	9126

*Thickness does not include 1/4" RF.



CLASS		BLIND FLANGE					
600#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
1/2	3-3/4	9/16	2-5/8	4	5/8	1-3/8	3
3/4	4-5/8	5/8	3-1/4	4	3/4	1-11/16	4
1	4-7/8	11/16	3-1/2	4	3/4	2	4
1-1/4	5-1/4	13/16	3-7/8	4	3/4	2-1/2	6
1-1/2	6-1/8	7/8	4-1/2	4	7/8	2-7/8	8
2	6-1/2	1	5	8	3/4	3-5/8	10
2-1/2	7-1/2	1-1/8	5-7/8	8	7/8	4-1/8	15
3	8-1/4	1-1/4	6-5/8	8	7/8	5	20
3-1/2	9	1-3/8	7-1/4	8	1	5-1/2	29
4	10-3/4	1-1/2	8-1/2	8	1	6-3/16	41
5	13	1-3/4	10-1/2	8	1-1/8	7-5/16	68
6	14	1-7/8	11-1/2	12	1-1/8	8-1/2	86
8	16-1/2	2-3/16	13-3/4	12	1-1/4	10-5/8	140
10	20	2-1/2	17	16	1-3/8	12-3/4	231
12	22	2-5/8	19-1/4	20	1-3/8	15	295
14	23-3/4	2-3/4	20-3/4	20	1-1/2	16-1/4	378
16	27	3	23-3/4	20	1-5/8	18-1/2	527
18	29-1/4	3-1/4	25-3/4	20	1-3/4	21	665
20	32	3-1/2	28-1/2	24	1-3/4	23	855
22	34-1/4	3-3/4	30-5/8	24	1-3/4	25-1/4	1000
24	37	4	33	24	2	27-1/4	1250

*Thickness does not include 1/4" RF.

CLASS	BLIND FLANGE series A						
600#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	40	4-15/16	36	28	2	29-1/2	1759
28	42-1/4	5-3/16	38	28	2-1/8	31-1/2	2061
30	44-1/2	5-1/2	40-1/4	28	2-1/8	33-3/4	2423
32	47	5-13/16	42-1/2	28	2-3/8	36	2856
34	49	6-1/16	44-1/2	28	2-3/8	38	3237
36	51-3/4	6-3/8	47	28	2-5/8	40-1/4	3802
38	50	6-1/8	45-3/4	28	2-3/8	41-1/2	3404
40	52	6-3/8	47-3/4	32	2-3/8	43-3/4	3838
42	55-1/4	6-3/4	50-1/2	28	2-5/8	46	4585
44	57-1/4	7	52-1/2	32	2-5/8	48-1/4	5105
46	59-1/2	7-5/16	54-3/4	32	2-5/8	50-1/4	5758
48	62-3/4	7-11/16	57-1/2	32	2-7/8	52-1/2	6737
50	65-3/4	8	60	28	3-1/8	54-1/2	7695
52	67-3/4	8-1/4	62	32	3-1/8	56-1/2	8426
54	70	8-9/16	64-1/4	32	3-1/8	58-3/4	9333
56	73	8-7/8	66-3/4	32	3-3/8	60-3/4	10529
58	75	9-1/8	68-3/4	32	3-3/8	63	11414
60	78-1/2	9-9/16	71-3/4	28	3-5/8	65-1/4	13108

CLASS	BLIND FLANGE series B						
600#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	35	4-3/8	31-3/4	28	1-3/4	28-5/8	1194
28	37-1/2	4-9/16	34	28	1-7/8	30-7/8	1427
30	40-1/4	5	36-1/2	28	2	33-1/8	1802
32	42-3/4	5-5/16	38-3/4	28	2-1/8	35-1/4	2159
34	45-3/4	5-11/16	41-1/2	24	2-3/8	37-1/2	2645
36	47-3/4	5-15/16	43-1/2	28	2-3/8	39-3/4	3013
38	50	6-1/8	45-3/4	28	2-3/8	41-1/2	3404
40	52	6-3/8	47-3/4	32	2-3/8	43-3/4	3838
42	55-1/4	6-3/4	50-1/2	28	2-5/8	46	4585
44	57-1/4	7	52-1/2	32	2-5/8	48-1/4	5105
46	59-1/2	7-5/16	54-3/4	32	2-5/8	50-1/4	5758
48	62-3/4	7-11/16	57-1/2	32	2-7/8	52-1/2	6737
50	65-3/4	8	60	28	3-1/8	54-1/2	7695
52	67-3/4	8-1/4	62	32	3-1/8	56-1/2	8426
54	70	8-9/16	64-1/4	32	3-1/8	58-3/4	9333
56	73	8-7/8	66-3/4	32	3-3/8	60-3/4	10529
58	75	9-1/8	68-3/4	32	3-3/8	63	11414
60	78-1/2	9-9/16	71-3/4	28	3-5/8	65-1/4	13108

*Thickness does not include 1/4" RF.



CLASS		BLIND FLANGE					
900#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
1/2	4-3/4	7/8	3-1/4	4	7/8	1-3/8	4
3/4	5-1/8	1	3-1/2	4	7/8	1-11/16	6
1	5-7/8	1-1/8	4	4	1	2	9
1-1/4	6-1/4	1-1/8	4-3/8	4	1	2-1/2	10
1-1/2	7	1-1/4	4-7/8	4	1-1/8	2-7/8	14
2	8-1/2	1-1/2	6-1/2	8	1	3-5/8	25
2-1/2	9-5/8	1-5/8	7-1/2	8	1-1/8	4-1/8	32
3	9-1/2	1-1/2	7-1/2	8	1	5	35
4	11-1/2	1-3/4	9-1/4	8	1-1/4	6 -3/16	54
5	13-3/4	2	11	8	1-3/8	7-5/16	87
6	15	2-3/16	12-1/2	12	1-1/4	8-1/2	115
8	18-1/2	2-1/2	15-1/2	12	1-1/2	10-5/8	200
10	21-1/2	2-3/4	18-1/2	16	1-1/2	12-3/4	290
12	24	3-1/8	21	20	1-1/2	15	415
14	25-1/4	3-3/8	22	20	1-5/8	16-1/4	520
16	27-3/4	3-1/2	24-1/4	20	1-3/4	18-1/2	619
18	31	4	27	20	2	21	880
20	33-3/4	4-1/4	29-1/2	20	2-1/8	23	1107
24	41	5-1/2	35-1/2	20	2-5/8	27-1/4	2099

*Thickness does not include 1/4" RF.

CLASS	BLIND FLANGE series A						
900#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	42-3/4	6-5/16	37-1/2	20	2-7/8	29-1/2	2566
28	46	6-3/4	40-1/4	20	3-1/8	31-1/2	3178
30	48-1/2	7-3/16	42-3/4	20	3-1/8	33-3/4	3758
32	51-3/4	7-5/8	45-1/2	20	3-3/8	36	4541
34	55	8-1/16	48-1/4	20	3-5/8	38	5425
36	57-1/2	8-7/16	50-3/4	20	3-5/8	40-1/4	6209
38	57-1/2	8-1/2	50-3/4	20	3-5/8	43-1/4	6253
40	59-1/2	8-13/16	52-3/4	24	3-5/8	45-3/4	6940
42	61-1/2	9-1/8	54-3/4	24	3-5/8	47-3/4	7675
44	64-7/8	9-9/16	57-5/8	24	3-7/8	50	8954
46	68-1/4	10-1/16	60-1/2	24	4-1/8	52-1/2	10426
48	70-1/4	10-3/8	62-1/2	24	4-1/8	54-1/2	11398

CLASS	BLIND FLANGE series B						
900#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
26	40-1/4	6-1/16	35-1/2	20	2-5/8	30	2184
28	43-1/2	6-9/16	38-1/4	20	2-7/8	32-1/4	2762
30	46-1/2	6-15/16	40-3/4	20	3-1/8	34-1/2	3334
32	48-3/4	7-5/16	43	20	3-1/8	36-1/2	3865
34	51-3/4	7-11/16	45-1/2	20	3-3/8	39	4576
36	53	7-15/16	47-1/4	24	3-1/8	40-1/2	4963
38	57-1/2	8-1/2	50-3/4	20	3-5/8	43-1/4	6253
40	59-1/2	8-13/16	52-3/4	24	3-5/8	45-3/4	6940
42	61-1/2	9-1/8	54-3/4	24	3-5/8	47-3/4	7675
44	64-7/8	9-9/16	57-5/8	24	3-7/8	50	8954
46	68-1/4	10-1/16	60-1/2	24	4-1/8	52-1/2	10426
48	70-1/4	10-3/8	62-1/2	24	4-1/8	54-1/2	11398

*Thickness does not include 1/4" RF.

900#
BLIND
FLANGE

1500#
BLIND
FLANGE


CLASS 1500# BLIND FLANGE							
CLASS 1500#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
1/2	4-3/4	7/8	3-1/4	4	7/8	1-3/8	4
3/4	5-1/8	1	3-1/2	4	7/8	1-11/16	6
1	5-7/8	1-1/8	4	4	1	2	9
1-1/4	6-1/4	1-1/8	4-3/8	4	1	2-1/2	10
1-1/2	7	1-1/4	4-7/8	4	1-1/8	2-7/8	14
2	8-1/2	1-1/2	6-1/2	8	1	3-5/8	25
2-1/2	9-5/8	1-5/8	7-1/2	8	1-1/8	4-1/8	35
3	10-1/2	1-7/8	8	8	1-1/4	5	48
4	12-1/4	2-1/8	9-1/2	8	1-3/8	6-3/16	73
5	14-3/4	2-7/8	11-1/2	8	1-5/8	7-5/16	140
6	15-1/2	3-1/4	12-1/2	12	1-1/2	8-1/2	160
8	19	3-5/8	15-1/2	12	1-3/4	10- 5/8	302
10	23	4-1/4	19	12	2	12-3/4	510
12	26-1/2	4-7/8	22-1/2	16	2-1/8	15	775
14	29-1/2	5-1/4	25	16	2-3/8	16-1/4	975
16	32-1/2	5-3/4	27-3/4	16	2-5/8	18-1/2	1300
18	36	6-3/8	30-1/2	16	2-7/8	21	1750
20	38-3/4	7	32-3/4	16	3-1/8	23	2225
24	46	8	39	16	3-5/8	27-1/4	3625


*Thickness does not include 1/4" RF.




2500# BLIND FLANGE

CLASS		BLIND FLANGE					
2500#	OD	THK	BOLT CIRCLE	# OF Holes	BOLT HOLE DIAMETER	RF OD	WEIGHT
1/2	5-1/4	1-3/16	3-1/2	4	7/8	1-3/8	7
3/4	5-1/2	1-1/4	3-3/4	4	7/8	1-11/16	10
1	6-1/4	1-3/8	4-1/4	4	1	2	12
1-1/4	7-1/4	1-1/2	5-1/8	4	1-1/8	2-1/2	18
1-1/2	8	1-3/4	5-3/4	4	1-1/4	2-7/8	25
2	9-1/4	2	6-3/4	8	1-1/8	3-5/8	39
2-1/2	10-1/2	2-1/4	7-3/4	8	1-1/4	4-1/8	56
3	12	2-5/8	9	8	1-3/8	5	86
4	14	3	10-3/4	8	1-5/8	6-3/16	133
5	16-1/2	3-5/8	12-3/4	8	1-7/8	7-5/16	223
6	19	4-1/4	14-1/2	8	2-1/8	8-1/2	345
8	21-3/4	5	17-1/4	12	2-1/8	10-5/8	533
10	26-1/2	6-1/2	21-1/4	12	2-5/8	12-3/4	1025
12	30	7-1/4	24-3/8	12	2-7/8	15	1464


*Thickness does not include 1/4" RF.


**CLASS
150#**
SPECTACLE BLINDS


	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Weight (lbs.)
1/2	5/8	1-3/4	2-3/8	1/4	1-1/2	1
3/4	13/16	2-1/8	2-3/4	1/4	1-1/2	1
1	1-1/16	2-1/2	3-1/8	1/4	1-1/2	1
1-1/4	1-11/16	2-7/8	3-1/2	1/4	1-1/2	1
1-1/2	1-7/8	3-1/4	3-7/8	1/4	1-1/2	1
2	2-3/8	4	4-3/4	1/4	2	1
2-1/2	2-7/8	4-3/4	5-1/2	1/4	2	2
3	3-1/2	5-1/4	6	1/4	2-1/2	2
3-1/2	4	6-1/4	7	3/8	2-1/2	6
4	4-1/2	6-3/4	7-1/2	3/8	2-1/2	6
5	5-9/16	7-5/8	8-1/2	3/8	3	8
6	6-5/8	8-5/8	9-1/2	1/2	3	12
8	8-5/8	10-7/8	11-3/4	1/2	3	19
10	10-3/4	13-1/4	14-1/4	5/8	4	35
12	12-3/4	16	17	3/4	4	61
14	14	17-5/8	18-3/4	3/4	4-1/4	72
16	16	20-1/8	21-1/4	7/8	4-1/4	124
18	18	21-1/2	22-3/4	1	4-1/2	135
20	20	23-3/4	25	1-1/8	4-3/4	204
22	22	25-7/8	27-1/4	1-1/4	5	240
24	24	28-1/8	29-1/2	1-1/4	5-1/2	282




CLASS 300#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Weight (lbs.)
1/2	5/8	2	2-5/8	1/4	1-1/2	1
3/4	13/16	2-1/2	3-1/4	1/4	1-1/2	1
1	1-1/16	2-3/4	3-1/2	1/4	1-1/2	1
1-1/4	1-11/16	3-1/8	3-7/8	1/4	1-1/2	1
1-1/2	1-7/8	3-5/8	4-1/2	1/4	2	1
2	2-3/8	4-1/4	5	3/8	2	3
2-1/2	2-7/8	5	5-7/8	3/8	2-1/2	4
3	3-1/2	5-3/4	6-5/8	3/8	2-1/2	5
3-1/2	4	6-3/8	7-1/4	1/2	2-1/2	8
4	4-1/2	7	7-7/8	1/2	2-1/2	9
5	5-9/16	8-3/8	9-1/4	5/8	3	16
6	6-5/8	9-3/4	10-5/8	5/8	3	21
8	8-5/8	12	13	7/8	3-1/2	50
10	10-3/4	14-1/8	15-1/4	1	4	66
12	12-3/4	16-1/2	17-3/4	1-1/8	4	111
14	14	19	20-1/4	1-1/4	4-3/4	147
16	16	21-1/8	22-1/2	1-1/2	4-7/8	214
18	18	23-3/8	24-3/4	1-5/8	4-1/2	302
20	20	25-5/8	27	1-3/4	4-3/4	358
22	22	27-5/8	29-1/4	2	5	467
24	24	30-3/8	32	2	5-1/2	568




CLASS 600#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Weight (lbs.)
1/2	5/8	2	2-5/8	1/4	1-1/2	1
3/4	13/16	2-1/2	3-1/4	1/4	1-1/2	1
1	1-1/16	2-3/4	3-1/2	1/4	2-1/4	1
1-1/4	1-7/16	3-1/8	3-7/8	3/8	2-1/4	1
1-1/2	1-11/16	3-5/8	4-1/2	3/8	2-5/8	2
2	2-3/16	4-1/4	5	3/8	2-1/4	3
2-1/2	2-5/8	5	5-7/8	1/2	2-5/8	5
3	3-1/4	5-3/4	6-5/8	1/2	2-5/8	6
3-1/2	3-3/4	6-1/4	7-1/4	5/8	3	11
4	4-1/4	7-1/2	8-1/2	5/8	3	13
5	5-5/16	9-3/8	10-1/2	3/4	3-3/8	25
6	6-3/8	10-3/8	11-1/2	7/8	3-3/8	39
8	8-5/16	12-1/2	13-3/4	1-1/8	3-3/4	68
10	10-7/16	15-5/8	17	1-3/8	4-1/8	127
12	12-3/8	17-7/8	19-1/4	1-5/8	4-1/8	189
14	13-5/8	19-1/4	20-3/4	1-3/4	4-1/2	217
16	15-5/8	22-1/8	23-3/4	2	4-7/8	327
18	17-5/8	24	25-3/4	2-1/8	5-1/4	422
20	19-9/16	26-3/4	28-1/2	2-1/2	5-1/4	584
24	23-1/2	31	33	2-7/8	6	916




CLASS 900#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Weight (lbs.)
1/2	5/8	2-3/8	3-1/4	1/4	1-1/2	1
3/4	13/16	2-5/8	3-1/2	1/4	1-5/8	1
1	1-1/16	3	4	1/4	2-1/4	1
1-1/4	1-7/16	3-3/8	4-3/8	3/8	2-1/4	2
1-1/2	1-11/16	3-3/4	4-7/8	3/8	2-5/8	2
2	2-3/16	5-1/2	6-1/2	1/2	2-1/4	6
2-1/2	2-5/8	6-3/8	7-1/2	1/2	2-5/8	8
3	3-1/4	6-1/2	7-1/2	5/8	2-5/8	10
4	4-1/4	8	9-1/4	3/4	3	18
5	5-5/16	9-5/8	11	7/8	3-3/8	35
6	6-3/8	11-1/4	12-1/2	1	3-3/8	47
8	8-5/16	14	15-1/2	1-3/8	3-3/4	108
10	10-7/16	17	18-1/2	1-5/8	4-1/8	183
12	12-3/8	19-1/2	21	1-7/8	4-1/8	266
14	13-5/8	20-3/8	22	2-1/8	4-1/2	318
16	15-5/8	22-1/2	24-1/4	2-3/8	4-7/8	422
18	17-5/8	25	27	2-5/8	5-1/4	568
20	19-9/16	27-3/8	29-1/2	2-7/8	5-1/4	746
24	23-1/2	32-7/8	35-1/2	3-1/2	6	1255

1500#
SPECTACLE
BLINDS

**CLASS
1500#**
SPECTACLE BLINDS


	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Weight (lbs.)
1/2	5/8	2-3/8	3-1/4	1/4	1-1/2	1
3/4	13/16	2-5/8	3-1/2	3/8	1-5/8	1
1	1-1/16	3	4	3/8	2-1/2	1
1-1/4	1-3/8	3-3/8	4-3/8	3/8	2-1/2	2
1-1/2	1-5/8	3-3/4	4-7/8	1/2	2-3/4	3
2	2-1/16	5-1/2	6-1/2	1/2	2-3/4	6
2-1/2	2-1/2	6-3/8	7-1/2	5/8	3	10
3	3-1/16	6-3/4	8	3/4	3	14
4	4-1/16	8-1/8	9-1/2	7/8	3-1/2	26
5	5-1/16	9-7/8	11-1/2	1-1/8	3-1/2	47
6	6-1/16	11	12-1/2	1-3/8	3-1/2	69
8	8	13-3/4	15-1/2	1-5/8	4	123
10	10-1/16	17	19	2	4-1/2	213
12	11-15/16	20-3/8	22-1/2	2-3/8	4-1/2	383
14	13-1/8	22-5/8	25	2-5/8	5	522
16	15	25-1/8	27-3/4	3	5-1/4	693
18	16-7/8	27-5/8	30-1/2	3-3/8	5-3/4	967
20	18-13/16	29-5/8	32-3/4	3-3/4	6	1171
24	22-5/8	35-3/8	39	4-3/8	7	1996




CLASS 2500# SPECTACLE BLINDS						
	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Weight (lbs.)
1/2	5/8	2-5/8	3-1/2	3/8	1-1/2	1
3/4	13/16	2-7/8	3-3/4	3/8	1-5/8	1
1	1-1/16	3-1/4	4-1/4	3/8	2-1/2	2
1-1/4	1-3/8	4	5-1/8	1/2	2-1/2	3
1-1/2	1-5/8	4-1/2	5-3/4	5/8	2-3/4	5
2	2-1/16	5-5/8	6-3/4	5/8	2-3/4	8
2-1/2	2-1/2	6-1/2	7-3/4	3/4	3	13
3	3-1/16	7-5/8	9	7/8	3	24
4	4-1/16	9-1/8	10-3/4	1-1/8	3-1/2	42
5	5-1/16	10-7/8	12-3/4	1-3/8	3-1/2	70
6	6-1/16	12-3/8	14-1/2	1-5/8	3-1/2	105
8	7-13/16	15-1/8	17-1/4	2-1/8	4	299
10	9-3/4	18-5/8	21-1/4	2-5/8	4-1/2	333
12	11-3/8	21-1/2	24-3/8	3-1/8	4-1/2	576




CLASS 150#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Pitch (in.) P	Depth (in.) D	Width (in.) G	Ring #	Weight (lbs.)
1	1-5/16	2-1/2	3-1/8	3/4	2	1-7/8	1/4	11/32	R15	2
1-1/4	1-11/16	2-7/8	3-1/2	3/4	2	2-1/4	1/4	11/32	R17	2
1-1/2	1-7/8	3-1/4	3-7/8	3/4	2-1/4	2-9/16	1/4	11/32	R19	3
2	2-3/8	4	4-3/4	3/4	2-1/4	3-1/4	1/4	11/32	R22	4
2-1/2	2-7/8	4-3/4	5-1/2	7/8	2-1/4	4	1/4	11/32	R25	7
3	3-1/2	5-1/4	6	7/8	2-1/4	4-1/2	1/4	11/32	R29	8
3-1/2	4	6-1/16	7	7/8	2-1/2	5-3/16	1/4	11/32	R33	11
4	4-1/2	6-3/4	7-1/2	7/8	2-1/2	5-7/8	1/4	11/32	R36	14
5	5-9/16	7-5/8	8-1/2	1	2-3/4	6-3/4	1/4	11/32	R40	19
6	6-5/8	8-5/8	9-1/2	1	3-1/4	7-5/8	1/4	11/32	R43	23
8	8-5/8	10-3/4	11-3/4	1-1/8	3-3/4	9-3/4	1/4	11/32	R48	39
10	10-3/4	13	14-1/4	1-1/4	4	12	1/4	11/32	R52	62
12	12-3/4	16	17	1-3/8	4-3/4	15	1/4	11/32	R56	107
14	14	16-3/4	18-3/4	1-3/8	5	15-5/8	1/4	11/32	R59	112
16	16	19	21-1/4	1-1/2	5	17-7/8	1/4	11/32	R64	156
18	18	21-1/2	22-3/4	1-5/8	5	20-3/8	1/4	11/32	R68	217
20	20	23-1/2	25	1-5/8	5	22	1/4	11/32	R72	255
24	24	28	29-1/2	1-7/8	6	26-1/2	1/4	11/32	R76	414




CLASS 300#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Pitch (in.) P	Depth (in.) D	Width (in.) G	Ring #	Weight (lbs.)
1/2	13/16	2	2-5/8	5/8	1-1/2	1-11/32	7/32	9/32	R11	1
3/4	1-1/16	2-1/2	3-1/4	3/4	1-3/4	1-11/16	1/4	11/32	R13	2
1	1-5/16	2-3/4	3-1/2	3/4	2	2	1/4	11/32	R16	2
1-1/4	1-11/16	3-1/8	3-7/8	7/8	2	2-3/8	1/4	11/32	R18	3
1-1/2	1-7/8	3-9/16	4-1/2	7/8	2-1/4	2-11/16	1/4	11/32	R20	4
2	2-3/8	4-1/4	5	1	2-1/4	3-1/4	5/16	15/32	R23	7
2-1/2	2-7/8	5	5-7/8	1-1/8	2-1/4	4	5/16	15/32	R26	10
3	3-1/2	5-3/4	6-5/8	1-1/8	2-1/4	4-7/8	5/16	15/32	R31	14
3-1/2	4	6-1/4	7-1/4	1-1/8	2-1/2	5-3/16	5/16	15/32	R34	16
4	4-1/2	6-7/8	7-7/8	1-1/4	2-1/2	5-7/8	5/16	15/32	R37	21
5	5-9/16	8-1/4	9-1/4	1-3/8	2-3/4	7-1/8	5/16	15/32	R41	32
6	6-5/8	9-1/2	10-5/8	1-3/8	3-1/4	8-5/16	5/16	15/32	R45	42
8	8-5/8	11-7/8	13	1-5/8	3-3/4	10-5/8	5/16	15/32	R49	75
10	10-3/4	14	15-1/4	1-3/4	4	12-3/4	5/16	15/32	R53	108
12	12-3/4	16-1/4	17-3/4	2	4-3/4	15	5/16	15/32	R57	163
14	14	18	20-1/4	2-1/8	5	16-1/2	5/16	15/32	R61	214
16	16	20	22-1/2	2-1/4	5	18-1/2	5/16	15/32	R65	273
18	18	22-5/8	24-3/4	2-3/8	5	21	5/16	15/32	R69	370
20	20	25	27	2-3/4	5	23	3/8	17/32	R73	521
24	24	29-1/2	32	3-1/8	6	27-1/4	7/16	21/32	R77	811




CLASS 600#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Pitch (in.) P	Depth (in.) D	Width (in.) G	Ring #	Weight (lbs.)
1/2	13/16	2	2-5/8	3/4	1-1/2	1-11/32	7/32	9/32	R11	1
3/4	1-1/16	2-1/2	3-1/4	7/8	1-3/4	1-11/16	1/4	11/32	R13	2
1	1-5/16	2-3/4	3-1/2	7/8	2	2	1/4	11/32	R16	3
1-1/4	1-11/16	3-1/8	3-7/8	7/8	2	2-3/8	1/4	11/32	R18	3
1-1/2	1-7/8	3-9/16	4-1/2	7/8	2-1/4	2-11/16	1/4	11/32	R20	4
2	2-3/8	4-1/4	5	1-1/8	2-1/4	3-1/4	5/16	15/32	R23	8
2-1/2	2-7/8	5	5-7/8	1-1/4	2-1/4	4	5/16	15/32	R26	12
3	3-1/2	5-3/4	6-5/8	1-1/4	2-1/4	4-7/8	5/16	15/32	R31	15
3-1/2	4	6-1/4	7-1/4	1-3/8	2-1/2	5-3/16	5/16	15/32	R34	19
4	4-1/2	6-7/8	8-1/2	1-3/8	2-1/2	5-7/8	5/16	15/32	R37	23
5	5-9/16	8-1/4	10 1/2	1-1/2	2-3/4	7-1/8	5/16	15/32	R41	35
6	6-5/8	9-1/2	11-1/2	1-3/4	3-1/4	8-5/16	5/16	15/32	R45	53
8	8-5/8	11-7/8	13-3/4	2	3-3/4	10-5/8	5/16	15/32	R49	92
10	10-3/4	14	17	2-1/4	4	12-3/4	5/16	15/32	R53	139
12	12-3/4	16-1/4	19-1/4	2-1/2	4-3/4	15	5/16	15/32	R57	204
14	14	18	20-3/4	2-5/8	5	16-1/2	5/16	15/32	R61	264
16	16	20	23-3/4	2-7/8	5	18-1/2	5/16	15/32	R65	348
18	18	22-5/8	25-3/4	3-1/8	5	21	5/16	15/32	R69	487
20	20	25	28-1/2	3-1/2	5	23	3/8	17/32	R73	663
24	24	29-1/2	33	4-1/8	6	27-1/4	7/16	21/32	R77	1070


900# RTJ SPECTACLE BLIND

CLASS 900#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Pitch (in.) P	Depth (in.) D	Width (in.) G	Ring #	Weight (lbs.)
1/2	13/16	2-3/8	3-1/4	7/8	1-1/2	1-9/16	1/4	11/32	R12	2
3/4	1-1/16	2-5/8	3-1/2	7/8	1-3/4	1-3/4	1/4	11/32	R14	2
1	1-5/16	2-13/16	4	7/8	2	2	1/4	11/32	R16	3
1-1/4	1-11/16	3-3/16	4-3/8	1	2	2-3/8	1/4	11/32	R18	4
1-1/2	1-7/8	3-5/8	4-7/8	1	2-1/2	2-11/16	1/4	11/32	R20	5
2	2-3/8	4-7/8	6-1/2	1-1/4	2	3-3/4	5/16	15/32	R24	12
2-1/2	2-7/8	5-3/8	7-1/2	1-3/8	2-5/8	4-1/4	5/16	15/32	R27	15
3	3-1/2	6-1/8	7-1/2	1-3/8	2-5/8	4-7/8	5/16	15/32	R31	19
4	4-1/2	7-1/8	9-1/4	1-5/8	2-7/8	5-7/8	5/16	15/32	R37	29
5	5-9/16	8-1/2	11	1-3/4	2-7/8	7-1/8	5/16	15/32	R41	44
6	6-5/8	9-1/2	12-1/2	1-7/8	2-7/8	8-5/16	5/16	15/32	R45	57
8	8-5/8	12-1/8	15-1/2	2-1/4	3-1/8	10-5/8	5/16	15/32	R49	110
10	10-3/4	14-1/4	18-1/2	2-1/2	4-3/4	12-3/4	5/16	15/32	R53	162
12	12-3/4	16-1/2	21	2-7/8	4-3/4	15	5/16	15/32	R57	245
14	14	18-3/8	22	3-1/4	4-3/4	16-1/2	7/16	21/32	R62	347
16	16	20-5/8	24-1/4	3-5/8	5	18-1/2	7/16	21/32	R66	480
18	18	23-3/8	27	4	5-1/4	21	1/2	25/32	R70	685
20	20	25-1/2	29-1/2	4-3/8	5	23	1/2	25/32	R74	878
24	24	30-3/8	35-1/2	5-1/4	5-1/2	27-1/4	5/8	1-1/16	R78	1484



CLASS 1500#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Pitch (in.) P	Depth (in.) D	Width (in.) G	Ring #	Weight (lbs.)
1/2	13/16	2-3/8	3-1/4	7/8	1-1/2	1-9/16	1/4	11/32	R12	2
3/4	1-1/16	2-5/8	3-1/2	1	1-3/4	1-3/4	1/4	11/32	R14	3
1	1-5/16	2-13/16	4	1	2-1/8	2	1/4	11/32	R16	3
1-1/4	1-11/16	3-3/16	4-3/8	1	2-1/8	2-3/8	1/4	11/32	R18	4
1-1/2	1-7/8	3-5/8	4-7/8	1-1/8	2-1/4	2-11/16	1/4	11/32	R20	6
2	2-3/8	4-7/8	6-1/2	1-3/8	2-1/8	3-3/4	5/16	15/32	R24	13
2-1/2	2-7/8	5-3/8	7-1/2	1-1/2	2-1/4	4-1/4	5/16	15/32	R27	17
3	3-1/2	6-5/8	8	1-3/4	2-7/8	5-3/8	5/16	15/32	R35	29
4	4-1/2	7-5/8	9-1/2	1-7/8	3	6-3/8	5/16	15/32	R 39	40
5	5-9/16	9	11-1/2	2-1/8	3	7-5/8	5/16	15/32	R44	62
6	6-5/8	9-3/4	12-1/2	2-3/8	3-1/8	8-5/16	3/8	17/32	R46	77
8	8-5/8	12-1/2	15-1/2	2-7/8	3-3/8	10-5/8	7/16	21/32	R50	152
10	10-3/4	14-5/8	19	3-1/4	5-1/4	12-3/4	7/16	21/32	R54	226
12	12-3/4	17-1/4	22-1/2	4	5-1/4	15	9/16	29/32	R58	385
14	14	19-1/4	25	4-3/8	5-1/2	16-1/2	5/8	1-1/16	R63	531
16	16	21-1/2	27-3/4	4-7/8	5-3/4	18-1/2	11/16	1-3/16	R67	726
18	18	24-1/8	30-1/2	5-1/4	6	21	11/16	1-3/16	R71	982
20	20	26-1/2	32-3/4	5-5/8	6-1/2	23	11/16	1-5/16	R75	1259
24	24	31-1/4	39	6-5/8	7	27-1/4	13/16	1-7/16	R79	2032




CLASS 2500#	Inside Diameter (in.) B	Outside Diameter (in.) O	Centerline Dimension (in.) A	Thickness (in.) t	Web Width (in.) W	Pitch (in.) P	Depth (in.) D	Width (in.) G	Ring #	Weight (lbs.)
1/2	13/16	2-9/16	3-1/2	1	1-1/2	1-11/16	1/4	11/32	R13	3
3/4	1-1/16	2-7/8	3-3/4	1-1/8	1-3/4	2	1/4	11/32	R16	4
1	1-5/16	3-1/4	4-1/4	1-1/8	2-1/8	2-3/8	1/4	11/32	R18	5
1-1/4	1-11/16	4	5-1/8	1-3/8	2-1/8	2-27/32	5/16	15/32	R21	9
1-1/2	1-7/8	4-1/2	5-3/4	1-1/2	2-3/8	3-1/4	5/16	15/32	R23	12
2	2-3/8	5-1/4	6-3/4	1-5/8	2-1/4	4	5/16	15/32	R26	18
2-1/2	2-7/8	5-7/8	7-3/4	1-7/8	2-3/8	4-3/8	3/8	17/32	R28	25
3	3-1/2	6-5/8	9	2	3	5	3/8	17/32	R32	34
4	4-1/2	8	10-3/4	2-1/2	3-1/4	6-3/16	7/16	21/32	R38	60
5	5-9/16	9-1/2	12-3/4	2-7/8	3-1/2	7-1/2	1/2	25/32	R42	96
6	6-5/8	11	14-1/2	3-1/4	3-3/4	9	1/2	25/32	R47	143
8	8-5/8	13-3/8	17-1/4	3-7/8	3-3/4	11	9/16	29/32	R51	245
10	10-3/4	16-3/4	21-1/4	4-5/8	3-9/16	13-1/2	11/16	1-3/16	R55	460
12	12-3/4	19-1/2	24-3/8	5-1/4	6	16	11/16	1-5/16	R60	700



BLIND

SPECIALISTS, LLC



CONTACT: DILLON FORD, GENERAL MANAGER
TOLL FREE : 1-(844) 729-2994
Phone: (409) 729-2994
CELL: 409-718-6817

EMAIL: DILLON.FORD@ECHOGROUP.NET
SALES@BLINDSPECIALIST.NET
WEBSITE: WWW.BLINDSPECIALIST.NET


- 150#
- 300#
- 600#
- 900#
- 1500#
- 2500#



BLIND
SPECIALISTS, LLC

(409) 729-2994
www.blindspecialist.net







BLIND
SPECIALISTS, LLC

6301 N. Twin City Hwy
Port Arthur, Texas 77642

Phone: (409) 729-2994

Fax: (409) 722-9538

www.blindspecialist.net